

**MOTUS O dance theatre**  
**"ALICE"**

**TECHNICAL REQUIREMENTS FOR THEATRES**

- CREW:** 1 Lighting Board Operator, 1 Audio Operator
- STAGE:** A clean level stage with suitable surface for dance.  
Suggested dimensions: 24' deep x 24' wide and a ceiling of 15';  
wing space 5' each wing  
Rear white cyclorama (if available).
- AUDIO:** If performed with CD only:  
1 CD Player  
House Speakers and Mixer (as appropriate)  
2 Monitors (1 downstage right; 1 downstage left)  
PCC microphones on apron floor for vocal pick-up  
Clearcom system
- LIGHTING:** **Can be done with general stage lighting only.**  
If available:  
One (R51) front of house wash  
One onstage (R51) front wash  
One blue (R68) back wash  
One shin wash (R01 - stage right, R51 -stage left)  
Four colour cyc (R122, R120, R123, R74)  
One red (R26) back wash  
One cool side wash (boom) (R99)  
One cool side wash (boom) (R70)  
Two footlights  
Three or four colour ground row, same colour as cyc  
One very small 'down' special (3' dia) upstage centre  
Curtain warmers if there is a front curtain  
Blue lights for backstage crossovers and or changes  
Mirror ball and mirror ball lights  
Strobe lights  
UV lights
- DRESSING ROOMS:** Two small or one large for 4 people with mirrors, chairs, tables, lights
- TECHNICAL SET-UP:** Two hours minimum (with house crew) prior to show if lights and soft goods are all pre-hung.
- STRIKE:** One hour with house crew